

NL

# HANDLEIDING

## **Joy Sport**

### **Bolderwagen**



# **Joy Sport Importeur**

**Fitness-Import  
Timmermannsweg 46  
5813 AP Ysselsteyn (LB)  
info@joysport.nl  
www.joysport.nl**

Geachte klant,

Wij feliciteren u met de aankoop van dit JOY SPORT product.

Tevens wensen wij u veel plezier toe met uw goede keuze.

Volg aandachtig de montage handleiding.

Mocht u nog vragen hebben dan helpen wij u graag verder.

**Garantie,**

Deze garantie geldt gedurende 12 maanden voor elke fabricagefout aan uw JOY SPORT product die door een gemachtigd JOY SPORT dealer werd verkocht.

Wanneer u garantie claimt biedt JOY SPORT de mogelijkheid om naar eigen goeddunken het defecte apparaat of het betreffende onderdeel te herstellen of te vervangen.

De transportkosten van en naar onze werkplaats worden uitgesloten van deze garantie, en zijn dus voor rekening van de bezitter van het product.

Wanneer u aanspraak wenst te maken op eventuele garantie gaat u met het aankoopbewijs naar de dealer waar u uw product heeft gekocht.

De dealer zal uw claim dan verder afhandelen.

Tevens bestaat de mogelijkheid om contact op te nemen met de officiële JOY SPORT importeur.


**Garantie uitsluitingen,**

De garantie geldt niet voor: de normale slijtage, de gevolgen van een ondeskundige handeling, of beschadiging door de koper of door derden zelf, en defecten die aan extreme omstandigheden te wijten zijn.

De garantie kan ook niet worden geclaimd wanneer de originele constructie of uitrusting werd gewijzigd, of wanneer geen originele JOY SPORT onderdelen voor de reparatie werden gebruikt.

De fabrikant kan niet verantwoordelijk gesteld worden voor schade, verlies of kosten, incidenteel noch gerelateerd ten gevolge van gebruik van dit apparaat.

**Fitness-Import  
Timmermannsweg 46  
5813 AP Ysselsteyn (LB)  
info@joysport.nl  
www.joysport.nl**



### Onderdelen lijst

Nr	Stuks	Omschrijving
1	1	Bodemplaat
2	2	Voor en achterpaneel
3	2	Zijpanelen
4	1	Frame
5	1	T-Stuk
6	4	Wielen compleet met lagers en velg
7	1	Disselboom
8	2	Handvaten
9	4	Metalen staanders
10	1	Plastic bus
11	4	Metalen ringen
12	4	Plastic beschermkapjes
13	1	Splitpen
14	4	Metalen doppen om wielen te zekeren
15	1	Bout
16	1	Borgmoer
17	4	Moer
18	4	Bout
19	4	Afdichtdoppen
20	2	Assen

### **WAARSCHUWING:**

- Dit product mag alleen door volwassenen gemonteerd worden!
- Deze informatie a.u.b. bewaren voor eventuele correspondentie.

### **MONTAGE INSTRUCTIES:**

- Controleer met behulp van de onderdelen lijst of alle onderdelen in de verpakking aanwezig zijn.
- Plaats het frame (4) ondersteboven op een stuk karton of doek en schuif het T-Stuk (5) over de pin aan de voorkant van het frame. Steek de splitpen (13) door de opening en buig de uiteinden om de pin, om het T-stuk aan het frame te zekeren.
- Schuif de assen (20) in de buisopening van het T-stuk en in de buisopening aan de achterkant van het frame.
- Plaats een metalen ring (11) en daarna een wiel (6) over elk uiteinde van de assen. Let op: Mocht een van de wielen niet op de as schuiven kan het zijn dat de wiellagers in de weg zitten.  
Dit is gemakkelijk te verhelpen door een vinger in de wielopening te steken en de lagers op hun plaats te drukken.
- Nu kunnen de metalen doppen (14) op de uiteinden van de assen worden bevestigd. Gebruik daarvoor een houten of rubberen hamer.  
Let op: Nadat de doppen op de assen zijn bevestigd zijn deze erg moeilijk te verwijderen. Controleer daarom eerst of de ventielen van de wielen naar buiten wijzen en of de metalen ringen niet zijn vergeten.
- Plaats het frame op de wielen en leg de bodemplaat (1) op het frame. De openingen in de bodemplaat passen precies rond de 4 buizen in het frame.
- Nu kunnen de zijpanelen (3) worden geplaatst. De buizen van de zijpanelen passen in de twee openingen aan elke zijde van de bodemplaat.
- Hierna kunnen het voor en achterpaneel (2) tussen de twee zijpanelen worden geschoven. Voor dit doeleinde zijn er op de zijpanelen speciale latjes bevestigd.
- Bevestig nu de disselboom (7) aan het T-stuk met behulp van bout (15) en moer (16).

De bolderwagen is nu klaar voor gebruik. Veel plezier met het gebruik hiervan!



**USER MANUAL**  
**Joy Sport**  
**Wooden Hand Cart**



# Joy Sport Importer

Fitness-Import  
Timmermannsweg 46  
5813 AP Ysselsteyn (LB)  
info@joysport.nl  
www.joysport.nl

## Dear customer,

We want to thank you for having chosen a **JOY SPORT** product, and wish you a lot of fun and success during training with your **JOY SPORT** exercisers.

Please note and follow the enclosed safety and assembly instructions carefully.

If you have questions please do not hesitate to contact us.

## Guarantee,

This guarantee covers all manufacturing and material flaws on **JOY SPORT** products purchased from an authorized **JOY SPORT** dealer for a period of 12 months from purchase.

If you wish to make a claim under the guarantee, **JOY SPORT** shall be entitled to repair or replace the defective unit or part at its discretion.

The owner of the unit must pay for the transport costs and any dealer's workshop costs.

To make a claim under the guarantee, take your guarantee card to your dealer.

The dealer will then take the necessary action.


If this is not possible, contact your national **JOY SPORT** importer.

The following are not covered by the guarantee : normal wear and tear and the consequences of improper treatment or damage caused by the purchaser or third persons and faults which are due to other circumstances.

Claims may not be made under the guarantee if modifications have been made to the original construction or equipment or if **JOY SPORT** original parts were not used to repair the unit.

In no event the manufacturer shall be liable for incidental or consequential losses, damages or expenses in connection with exercise products.

Fitness-Import  
Timmermannsweg 46  
5813 AP Ysselsteyn (LB)  
info@joysport.nl  
www.joysport.nl



### Part List

Item	Qty	Description
1	1	Bottom plate
2	2	Front and back board
3	2	Sideboards
4	1	Main frame
5	1	T-bar with plastic covering
6	4	Wheels complete with bearings and rim
7	1	Pull bar
8	2	Hand grips
9	4	Metal holders
10	1	Plastic washer
11	4	Metal washer
12	4	Plastic safety cap
13	1	Clip to fix T-bar to mainframe
14	4	Metal caps to fix the wheels on the axles
15	1	Bolt
16	1	Nylon nut
17	4	Nut
18	4	Bolt
19	4	End caps
20	2	Axle

### **WARNING:**

- This product should be assembled by adults only!
- Please keep this information for your future reference.

### **ASSEMBLY INSTRUCTIONS:**

- Take all parts out of the carton and check with help from the parts list if all parts are present.
- Lay the mainframe (4) upside down on a piece of cardboard or fabric and place the T-bar (5) on the pin in the middle/front of the mainframe. Fix the T-bar to the pin by way of inserting the metal clip (13) through the small pinhole after both clip-ends should be folded around the pin.
- Insert the axels (20) through the tube opening in the T-bar (5) and through the opening in the bar at the back of the mainframe.
- First slide a washer (11) than a wheel (6) onto each axel-end.  
Note: If the wheels do not slide easy onto the axel-end it might help to put your finger in one side of the wheel opening to press the bearings down a little bit.
- Now the end caps (14) can be put over each axle-end and fixed firmly by using a wooden or rubber hammer.  
Note: It is very hard to remove these caps after they have been fixed. Before you fix the caps make sure that the wheel valves are facing outwards and that you did not forget the washers.
- Place the mainframe on it's wheels and lay the bottom plate (1) onto the frame. The four holes in the bottom plate fit exactly around the 4 tubes in the side of the mainframe.
- Now the sideboards (3) can be put into their position by inserting the two metal tubes into the two openings at each bottom side.
- After the two sideboards have been placed into their correct position the front and backboard (2) can be placed at the front and back. There are special groves fixed to the sideboards into which the front and backboards exactly fit.
- Now fix the pull bar (7) to the front of the T-bar with bolt (15) and nut (16).

The handcart is ready for use. Have fun with it!